

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S238	6	fuhwei near lwo.in.	US-PGPUB; USPAT	OR	ON	2009/12/17 08:51
S239	0	fuh near wei near lwo.in.	US-PGPUB; USPAT	OR	ON	2009/12/17 08:51
S240	94160	(ibm or "international business machines").as.	US-PGPUB; USPAT	OR	ON	2009/12/17 08:51
S241	103	S240 and (java and (api or (application adj program\$4 adj interface))).clm.	US-PGPUB; USPAT	OR	ON	2009/12/17 08:51
S242	6	("20020144018" "20030028549" "20030097650" "20030110313" "20030126310" "6591417").PN.	US-PGPUB; USPAT	OR	ON	2009/12/17 08:51
S243	1618	717/120-123.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S244	2219	719/328-329.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S245	86	(S243 or S244) and (compar \$4 with (api or (application adj program\$4 adj interface)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S246	55	S245 and (@pd<"20040220" or @ad<"20040220" or @prad<"20040220" or @rlad<"20040220")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S247	142	match\$4 near3 (class adj name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S248	63	S247 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51

S249	40	S248 and (@pd<"20040220" or @ad<"20040220" or @prad<"20040220" or @rlad<"20040220")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S250	2661	compar\$4 with (api or (application adj program\$4 adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S251	40	S250 and byte\$1code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S252	58	("20020040936" "5022028" "5313616" "5408665" "5446901" "5490249" "5565316" "5613101" "5615137" "5652835" "5668999" "5701408" "5748964" "5761510" "5884316" "5925140" "5966702" "5974255" "5999731" "6002871" "6005942" "6011918" "6038378" "6052732" "6058393" "6067639" "6075940" "6092147" "6125442" "6138112" "6178504" "6182158" "6202070" "6205579" "6212633" "6230312" "6230314" "6230318" "6243859" "6247171" "6262492" "6272674" "6347398" "6349344" "6360334" "6370686" "6389467" "6405309" "6418554" "6425118" "6477666" "6477702" "6519767" "6526571" "6539539" "6549930" "6668289" "RE37722").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/17 08:51
S253	12	matching adj class adj names	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S254	114	compar\$4 with (class adj name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51

S255	8	S254 and byte\$1code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S256	7846	compar\$4 near3 class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S257	123	S256 and byte\$1code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S258	85	S257 and (@pd<"20040220" or @ad<"20040220" or @prad<"20040220" or @rlad<"20040220")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S259	11	("5404525" "5535389" "5574898" "5890176" "6141795" "6175855" "6182286" "6209128" "6216140" "6289509" "6289510").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/17 08:51
S260	415	((class adj name) near3 "same") or ((match\$4 or identical) near3 (class adj name))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S261	41	S260 and java and byte \$1code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S262	6	("20020133643" "5966702" "6430569" "6618769" "6618855" "6654793").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/17 08:51
S263	47	(remov\$4 or delet\$4) near3 (class adj name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S264	476461	(remov\$4 or delet\$4) near3 (method or function or procedure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S265	2534	(remov\$4 or delet\$4) near3 (("same" or identical) near (method or function or procedure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51

S266	0	S265 and java and byte \$1code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S267	0	S265 and byte\$1code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S268	34	S265 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S269	7906	(remov\$4 or delet\$4) with (("same" or identical) adj (method or function or procedure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S270	3	S269 and byte\$1code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S271	76	S269 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S272	7	S265 and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S273	4	(remov\$4 or delet\$4) near3 ((match\$4 or "same" or identical) adj (class adj name))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S274	7	(remov\$4 or delet\$4) with ((match\$4 or "same" or identical) adj (class adj name))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51

S275	50	("20060249436" "6042312" "4299496" "5475797" "5912028" "6035243" "7035003" "20050122578" "20060174719" "5753092" "4379503" "4949031" "5749481" "6167817" "4591991" "4922978" "5674557" "5831857" "5849222" "5903663" "6438323" "6835290" "20030150712" "20050132853" "4787814" "4884474" "4991463" "5431332" "5679054" "6687328" "20030039332" "5199158" RE35481 "6237509" H002073 "5205197" "5544694" "5942699" "3670905" "4248563" "4304521" "4491475" "4536119" "4632620" "4807777" "4825500" "4863340" "4883140" "5249131" "5293322").pn.	US-PGPUB; USPAT	OR	ON	2009/12/17 08:51
S276	8138	(remov\$4 or delet\$4) with ((match\$4 or "same" or identical) adj (method or function or procedure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S277	92	S276 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S278	38	S276 and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S279	177	S276 and api	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S280	1790	(report or summary) with api	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S281	5	(report or summary) with (modif\$4 near3 api)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51

S282	1790	(report or summary) with api	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S283	108	S282 and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S284	5	(US-20030110313-\$ or US-20040153827-\$ or US-20040230948-\$).did. or (US-6591417-\$ or US-6308182-\$ or US-6986132-\$ or US-6415435-\$ or US-6851111-\$ or US-6430564-\$).did.	US-PGPUB; USPAT	OR	ON	2009/12/17 08:51
S285	1	S284 and (class near path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S286	669	class adj path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S287	395	S286 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S288	176	S287 and jvm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S289	73	S288 and byte\$1code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S290	57	S289 and (@pd<"20040220" or @ad<"20040220" or @prad<"20040220" or @rlad<"20040220")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S291	1362	(S243 or S244) and @pd>="20070402"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51

S292	577	S291 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S293	347	S292 and api	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S294	2	"6651186".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S295	1618	717/120-123.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S296	2219	719/328-329.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S297	997	(S295 or S296) and @pd>="20080429"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S298	433	S297 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S299	270	S298 and api	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S300	704	(S295 or S296) and @pd>="20081008"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S301	300	S300 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S302	199	S301 and api	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51

S303	12	(US-20030110313-\$ or US-20040153827-\$ or US-20040230948-\$).did. or (US-6591417-\$ or US-6308182-\$ or US-6986132-\$ or US-6415435-\$ or US-6851111-\$ or US-6430564-\$ or US-6385722-\$ or US-7231635-\$ or US-6651186-\$).did.	US-PGPUB; USPAT	OR	ON	2009/12/17 09:06
S304	9	S303 and (("same" or identical or match\$4) near3 class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 09:09
S305	671	load\$4 with (("same" or identical or match\$4) near3 class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 09:19
S306	157	S305 and api	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 09:20
S307	126	S306 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 09:20
S308	80	S307 and (@pd< "20040220" or @ad< "20040220" or @prad< "20040220" or @rlad< "20040220")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 09:20
S309	1618	717/120-123.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 13:00
S310	2219	719/328-329.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 13:00
S311	420	(S309 or S310) and @pd>= "20090407"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 13:00
S312	164	S311 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 13:00

S313	110	S312 and api	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 13:00
S314	1622	717/148,162-167.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 12:36
S315	315	S314 and api and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 12:36
S316	31	S315 and (load\$4 with (("same" or identical or match \$4) near3 class))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 12:37
S317	18	S316 and (@pd<"20040220" or @ad<"20040220" or @prad<"20040220" or @rlad<"20040220")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 12:37

12/ 18/ 2009 12:44:44 PM

C:\ Documents and Settings\ qchen\ My Documents\ EAST\ Workspaces\ docket\ 10783002.wsp